

Encore Labs 75 N Vinedo Ave. Pasadena, CA 91107

(626) 696-3086 https://encore-labs.com Lic# C8-0000086-LIC

Produced: 08/14/2023

Collected: 08/15/2023

Received: 08/15/2023

Completed: 08/17/2023

Sample Size: 8 units; Batch: 998 units

Producer TKC Group inc / BANGBRAND

Bangbar Vape Cartridge - Royal Gorilla - 1g

METRC Batch: 1A406030000B66D000001256 METRC Sample: 1A4060300046B41000001571

Sample ID: 2308ENC9118_7806

Strain: Royal Gorilla Matrix: Concentrates & Extracts Type: Vape

.

Batch#: BM100012



Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	08/16/2023	LC-DAD	Pass
Pesticides	08/16/2023	LC-MS	Pass
Mycotoxins	08/16/2023	LC-MS	Pass
Residual Solvents	08/16/2023	HS-GC-MS	Pass
Microbial Impurities	08/17/2023	qPCR	Pass
Heavy Metals	08/17/2023	ICP-MS	Pass
Foreign Matter	08/16/2023	Visual Inspection	Pass

Cannabinoids

Method: SOP EL-CANNABINOIDS

88.869 %	b		0.29	3 %		95.489 %
Total THC	;		Total	CBD		Total Cannabinoids
Analytes	LOD	LOQ	Result	Result	Result	
	mg/g	mg/g	%	mg/g	mg/unit	
THCa	0.247	0.749	ND	ND	ND	
Δ9-THC	0.265	0.802	88.869	888.69	888.69	
∆8-THC	0.292	0.886	ND	ND	ND	
THCVa	0.285	0.864	ND	ND	ND	
THCV	0.295	0.894	0.538	5.38	5.38	
CBDa	0.259	0.786	ND	ND	ND	
CBD	0.250	0.757	0.293	2.93	2.93	
CBN	0.235	0.713	0.614	6.14	6.14	
CBGa	0.282	0.853	ND	ND	ND	
CBG	0.260	0.787	3.230	32.30	32.30	
CBCa	0.230	0.695	ND	ND	ND	
CBC	0.270	0.817	1.944	19.44	19.44	
Total THC			88.869	888.69	888.689	
Fotal CBD			0.293	2.93	2.933	
Total Cannabinoids			95.489	954.89	954.886	
Sum of Cannabinoids			95.489	954.89	954.886	

1 Unit = 1g;

Total THC = THCa * $0.877 + \Delta 9$ -THC + $\Delta 8$ -THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water ctivity Method: SOP EL-WATER



名 Brad Kao Laboratory Supervisor | 08/17/2023



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Distributor

TKC Group, Inc.

Lic. # C11-0001636-LIC 11447 Vanowen St., North Hollywood, CA, 91605 Lic. # CDPH-10003892 11447 Vanowen St. North Hollywood, CA 91605



(626) 696-3086 https://encore-labs.com Lic# C8-0000086-LIC

Produced: 08/14/2023

Collected: 08/15/2023

Received: 08/15/2023

Completed: 08/17/2023

Producer TKC Group inc / BANGBRAND

Bangbar Vape Cartridge - Royal Gorilla - 1g

METRC Batch: 1A406030000B66D000001256 METRC Sample: 1A4060300046B41000001571

Sample ID: 2308ENC9118_7806

Strain: Royal Gorilla Matrix: Concentrates & Extracts Type: Vape

Batch#: BM100012

Pesticides Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.005	0.02	0.10	ND	Pass	Fludioxonil	0.01	0.05	0.10	ND	Pass
Acephate	0.002	0.01	0.10	ND	Pass	Hexythiazox	0.005	0.02	0.10	ND	Pass
Acequinocyl	0.01	0.02	0.10	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	0.10	ND	Pass	Imidacloprid	0.005	0.02	5.00	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	0.10	ND	Pass
Azoxystrobin	0.005	0.02	0.10	ND	Pass	Malathion	0.02	0.05	0.50	ND	Pass
Bifenazate	0.005	0.01	0.10	<loq< td=""><td>Pass</td><td>Metalaxyl</td><td>0.002</td><td>0.005</td><td>2.00</td><td>ND</td><td>Pass</td></loq<>	Pass	Metalaxyl	0.002	0.005	2.00	ND	Pass
Bifenthrin	0.02	0.05	3.00	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	0.10	ND	Pass	Methomyl	0.01	0.02	1.00	ND	Pass
Captan	0.2	0.3	0.70	ND	Pass	Parathion Methyl	0.02	0.05	0.02	ND	Pass
Carbaryl	0.02	0.05	0.50	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Myclobutanil	0.005	0.01	0.10	ND	Pass
Chlorantraniliprole	0.002	0.01	10.00	ND	Pass	Naled	0.01	0.02	0.10	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Oxamyl	0.005	0.01	0.50	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	PCNB	0.02	0.05	0.10	ND	Pass
Clofentezine	0.01	0.02	0.10	ND	Pass	Permethrin	0.02	0.05	0.50	ND	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.10	ND	Pass
Cyfluthrin	0.05	0.1	2.00	ND	Pass	Piperonyl Butoxide	e 0.02	0.05	3.00	ND	Pass
Cypermethrin	0.1	0.2	1.00	ND	Pass	Prallethrin	0.005	0.02	0.10	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.10	ND	Pass
Diazinon	0.002	0.01	0.10	ND	Pass	Propoxure	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	0.50	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	0.10	ND	Pass
Dimethomorph	0.005	0.02	2.00	ND	Pass	Spinetoram	0.005	0.01	0.10	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	0.10	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	0.10	ND	Pass
Etoxazole	0.005	0.02	0.10	ND	Pass	Spirotetramat	0.005	0.01	0.10	ND	Pass
Fenhexamid	0.005	0.02	0.10	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	0.10	ND	Pass
Fenpyroximate	0.005	0.02	0.10	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND		Thiamethoxam	0.005	0.01	5.00	ND	Pass
Flonicamid	0.01	0.02	0.10	ND	Pass	Trifloxystrobin	0.005	0.01	0.10	ND	Pass

Date Tested: 08/16/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



名 Brad Kao Laboratory Supervisor | 08/17/2023



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Distributor TKC Group, Inc.

North Hollywood, CA, 91605

Lic. # CDPH-10003892 11447 Vanowen St. North Hollywood, CA 91605

Lic. # C11-0001636-LIC Sample Size: 8 units; Batch: 998 units 11447 Vanowen St.,



Encore Labs 75 N Vinedo Ave. Pasadena, CA 91107 (626) 696-3086 https://encore-labs.com Lic# C8-000086-LIC

Produced: 08/14/2023

Collected: 08/15/2023

Received: 08/15/2023

Completed: 08/17/2023

Sample Size: 8 units; Batch: 998 units

Distributor

91605

TKC Group, Inc.

Lic. # C11-0001636-LIC

11447 Vanowen St.,

North Hollywood, CA,

Lic. # CDPH-10003892

North Hollywood, CA 91605

11447 Vanowen St.

Producer TKC Group inc / BANGBRAND

Bangbar Vape Cartridge - Royal Gorilla - 1g

METRC Batch: 1A406030000B66D000001256 METRC Sample: 1A4060300046B41000001571

Sample ID: 2308ENC9118_7806 Strain: Royal Gorilla

Matrix: Concentrates & Extracts Type: Vape

Batch#: BM100012

Mycotoxins Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.00	2.00		ND	Tested
Aflatoxin B2	1.00	2.00		ND	Tested
Aflatoxin G1	2.00	4.00		ND	Tested
Aflatoxin G2	1.00	2.00		ND	Tested
Ochratoxin A	4.00	10.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 08/16/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: EL-RES SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	hā\d	µg/g	µg/g	µg/g	
Acetone	33.00	100.00	5000	ND	Pass
Acetonitrile	10.00	30.00	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	10.00	30.00	5000	ND	Pass
Chloroform	0.10	0.29	1	ND	Pass
Ethanol	10.00	30.00	5000	ND	Pass
Ethyl-Acetate	10.00	30.00	5000	ND	Pass
Ethyl-Ether	10.00	30.00	5000	ND	Pass
Ethylene Oxide	0.08	0.24	1	ND	Pass
Heptane	10.00	30.00	5000	ND	Pass
n-Hexane	10.00	30.00	290	ND	Pass
Isopropanol	10.00	30.00	5000	ND	Pass
Methanol	10.00	30.00	3000	ND	Pass
Methylene-Chloride	0.10	0.31	1	ND	Pass
1,2-Dichloro-Ethane	0.10	0.29	1	ND	Pass
Pentane	10.00	30.00	5000	ND	Pass
Propane	10.00	30.00	5000	ND	Pass
Toluene	10.00	30.00	890	ND	Pass
Xylenes	20.00	60.00	2170	ND	Pass
Trichloroethene	0.10	0.29	1	ND	Pass

Date Tested: 08/16/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



名 Brad Kao Laboratory Supervisor | 08/17/2023



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.



Encore Labs 75 N Vinedo Ave. Pasadena, CA 91107

(626) 696-3086 https://encore-labs.com Lic# C8-000086-LIC

Produced: 08/14/2023

Collected: 08/15/2023

Received: 08/15/2023

Completed: 08/17/2023

Sample Size: 8 units; Batch: 998 units

Distributor

91605

TKC Group, Inc.

Lic. # C11-0001636-LIC

11447 Vanowen St.,

North Hollywood, CA,

Lic. # CDPH-10003892

North Hollywood, CA 91605

11447 Vanowen St.

Producer TKC Group inc / BANGBRAND

Bangbar Vape Cartridge - Royal Gorilla - 1g

METRC Batch: 1A406030000B66D000001256 METRC Sample: 1A4060300046B41000001571

Sample ID: 2308ENC9118_7806

Strain: Royal Gorilla Matrix: Concentrates & Extracts Type: Vape

Batch#: BM100012

Microbial Impurities

Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin–producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 08/17/2023

Heavy Metals

Method: SOP EL-HEAVYMETALS	

Nethod: SOF EE-HEAV TWE IAES					
Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.012	0.036	0.200	ND	Pass
Cadmium	0.015	0.044	0.200	ND	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mercury	0.005	0.015	0.100	ND	Pass

Date Tested: 08/17/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Brad Kao Laboratory Supervisor | 08/17/2023



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.