

Encore Labs 75 N Vinedo Ave. Pasadena, CA 91107

(626) 696-3086 https://encore-labs.com Lic# C8-000086-LIC

Producer TKC Group inc / BANGBRAND

# Bangbar Vape Cartridge - Chiquita Banana -1g

METRC Batch: 1A406030000B66D000001258 METRC Sample: 1A4060300046B41000001573

## Sample ID: 2308ENC9118\_7808

Matrix: Concentrates & Extracts Type: Vape

Batch#: BM100014

Strain: Chiquita Banana



Produced: 08/14/2023 Collected: 08/15/2023

Received: 08/15/2023 Completed: 08/17/2023 Sample Size: 8 units; Batch: 995 Distributor

## TKC Group, Inc.

Lic. # C11-0001636-LIC 11447 Vanowen St., North Hollywood, CA, 91605

Lic. # CDPH-10003892 11447 Vanowen St. North Hollywood, CA 91605

TIME	Bangtar Vape Carridge - Chquia Ba THC % ( CBD %   TC % Pile 64/00014 - UID 1A4663000086LD00001288			
ICON	% %	<b>き</b> く む		
amiu)o T		Bangcort	(10 LET ) AND ON A CLEAR A	
	1	y puita Ba		
		TE CHIQUITA		(A)

Summary			
Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	08/16/2023	LC-DAD	Pass
Pesticides	08/16/2023	LC-MS	Pass
Mycotoxins	08/16/2023	LC-MS	Pass
Residual Solvents	08/16/2023	HS-GC-MS	Pass
Microbial Impurities	08/17/2023	qPCR	Pass
Heavy Metals	08/17/2023	ICP-MS	Pass
Foreign Matter	08/16/2023	Visual Inspection	Pass

## Cannabinoids

Method: SOP EL-CANNABINOIDS

90.384 %			0.273 %			97.058 %		
Total THC			Total CBD			Total Cannabinoids		
Analytes	LOD	LOQ	Result	Result	Result			
	mg/g	mg/g	%	mg/g	mg/unit			
THCa	0.239	0.724	ND	ND	ND			
Δ9-THC	0.256	0.775	90.384	903.84	903.84			
Δ8-THC	0.283	0.856	ND	ND	ND			
THCVa	0.276	0.835	ND	ND	ND			
THCV	0.285	0.863	0.546	5.46	5.46			
CBDa	0.250	0.759	ND	ND	ND			
CBD	0.241	0.731	0.273	2.73	2.73			
CBN	0.227	0.689	0.651	6.51	6.51			
CBGa	0.272	0.824	ND	ND	ND			
CBG	0.251	0.760	3.260	32.60	32.60			
CBCa	0.222	0.672	ND	ND	ND			
CBC	0.260	0.789	1.945	19.45	19.45			
Total THC			90.384	903.84	903.838			
Total CBD			0.273	2.73	2.733			
Total Cannabinoids			97.058	970.59	970.585			
Sum of Cannabinoids			97.058	970.59	970.585			

1 Unit = 1g;

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms \* 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water ctivity Method: SOP EL-WATER



12 Brad Kao Laboratory Supervisor | 08/17/2023



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.



75 N Vinedo Ave Pasadena, CA 91107

(626) 696-3086 https://encore-labs.com Lic# C8-000086-LIC

Produced: 08/14/2023

Collected: 08/15/2023

Received: 08/15/2023

## Bangbar Vape Cartridge - Chiquita Banana -1g

METRC Batch: 1A406030000B66D000001258 METRC Sample: 1A4060300046B41000001573

Sample ID: 2308ENC9118\_7808

Strain: Chiquita Banana Matrix: Concentrates & Extracts Type: Vape

Batch#: BM100014

Pesticides Method: EL-PESTMYCOLCMS

### LOD LOQ Analytes LOD LOQ Limit Result Status Analytes Limit Result Status µg/g µg/g µg/g µg/g µg/g µg/g µg/g µg/g 0.01 Abamectin 0.005 0.02 0.10 ND Pass Fludioxonil 0.05 0.10 ND Pass 0.002 0.01 0.10 ND Pass Hexythiazox 0.005 0.02 0.10 ND Acephate Pass 0.10 ND 0.05 ND 0.01 0.02 0.05 0.1 Pass Acequinocyl Pass Imazalil Acetamiprid 0.10 0.005 5.00 0.005 0.02 ND 0.02 ND Pass Pass Imidacloprid 0.1 Aldicarb 0.05 0.05 ND Pass Kresoxim Methyl 0.005 0.02 0.10 ND Pass 0.005 0.02 0.10 0.05 0.50 Azoxystrobin ND Pass Malathion 0.02 ND Pass 0.005 0.01 0.10 0.002 0.005 2.00 Bifenazate ND Pass MetalaxvI ND Pass Bifenthrin 0.02 0.05 3.00 ND Pass Methiocarb 0.05 0.1 0.05 ND Pass Boscalid 0.02 0.05 0.10 ND Pass Methomyl 0.01 0.02 1.00 ND Pass Captan 0.2 0.3 0.70 ND Pass Parathion Methyl 0.02 0.05 0.02 ND Pass Carbaryl 0.02 0.05 0.50 ND Pass Mevinphos 0.02 0.05 0.02 ND Pass 0.05 0.05 ND Pass Myclobutanil 0.005 0.01 0.10 ND Pass Carbofuran 0.1 0.002 10.00 0.02 Pass Chlorantraniliprole 0.01 ND Pass Naled 0.01 0.10 ND Chlordane 0.05 0.1 0.05 ND Pass Oxamyl 0.005 0.01 0.50 ND Pass Chlorfenapyr 0.05 0.1 0.05 ND Pass Paclobutrazol 0.05 0.1 0.05 ND Pass Chlorpyrifos 0.05 0.1 0.05 ND Pass PCNB 0.02 0.05 0.10 ND Pass Clofentezine 0.01 0.02 0.10 ND Pass Permethrin 0.02 0.05 0.50 ND Pass 0.02 0.05 0.02 0.01 0.02 Coumaphos ND Pass Phosmet 0.10 ND Pass 0.05 2.00 ND 0.05 3.00 ND Cyfluthrin 0.1 Pass Piperonyl Butoxide 0.02 Pass Pass 0.1 0.2 1.00 ND 0.005 0.02 0.10 ND Cypermethrin Pass Prallethrin 0.02 0.05 0.02 ND 0.005 0.01 0.10 <LOQ Pass Daminozide Pass Propiconazole 0.002 0.01 0.10 ND 0.05 0.1 0.05 ND Diazinon Pass Propoxure Pass Dichlorvos 0.02 0.05 0.02 ND Pass Pyrethrins 0.02 0.05 0.50 ND Pass 0.02 0.005 Dimethoate 0.02 0.05 ND Pass Pyridaben 0.01 0.10 ND Pass Dimethomorph 0.005 0.02 2.00 ND Spinetoram 0.005 0.01 0.10 ND Pass Pass Ethoprophos 0.05 0.1 0.05 ND Pass Spinosad 0.005 0.01 0.10 ND Pass Pass Spiromesifen Etofenprox 0.05 0.1 0.05 ND 0.01 0.02 0.10 ND Pass 0.005 0.02 0.10 ND Pass Spirotetramat 0.005 0.01 0.10 ND Pass Etoxazole Fenhexamid 0.005 0.02 0.10 ND Pass Spiroxamine 0.05 0.1 0.05 ND Pass ND 0.005 0.01 ND Fenoxycarb 0.05 0.1 0.05 Pass Tebuconazole 0.10 Pass Fenpyroximate 0.005 0.02 0.10 ND Pass Thiacloprid 0.02 0.05 0.02 ND Pass Fipronil 0.05 0.1 0.05 ND Thiamethoxam 0.005 0.01 5.00 ND Pass Pass Flonicamid 0.01 0.02 0.10 ND Trifloxystrobin 0.005 0.01 0.10 ND Pass Pass

Date Tested: 08/16/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



12 Brad Kao Laboratory Supervisor | 08/17/2023



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full without the written approval of Encore Labs.

TKC Group inc / BANGBRAND Lic. # CDPH-10003892

Producer

11447 Vanowen St. North Hollywood, CA 91605

TKC Group, Inc. Completed: 08/17/2023 Sample Size: 8 units; Batch: 995 units North Hollywood, CA,

Distributor

91605

Lic. # C11-0001636-LIC 11447 Vanowen St



(626) 696-3086 https://encore-labs.com Lic# C8-0000086-LIC

# Bangbar Vape Cartridge - Chiquita Banana -1g

METRC Batch: 1A406030000B66D000001258 METRC Sample: 1A4060300046B41000001573	Produced: 08/14/2023	Distributor	Producer
Sample ID: 2308ENC9118_7808	Collected: 08/15/2023	TKC Group, Inc.	TKC Group inc / BANGBRAND
Strain: Chiquita Banana Matrix: Concentrates & Extracts	Received: 08/15/2023 Completed: 08/17/2023	Lic. # C11-0001636-LIC	Lic. # CDPH-10003892
Туре: Vape	Sample Size: 8 units; Batch: 995 units	11447 Vanowen St., North Hollywood, CA,	11447 Vanowen St. North Hollywood, CA 91605
Batch#: BM100014		91605	
Mycotoxins Method: EL-PESTMYCOLCMS			

Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.00	2.00		ND	Tested
Aflatoxin B2	1.00	2.00		ND	Tested
Aflatoxin G1	2.00	4.00		ND	Tested
Aflatoxin G2	1.00	2.00		ND	Tested
Ochratoxin A	4.00	10.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 08/16/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Residual Solvents Method: EL-RES SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	hð/ð	µg/g	µg/g	µg/g	
Acetone	33.00	100.00	5000	ND	Pass
Acetonitrile	10.00	30.00	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	10.00	30.00	5000	ND	Pass
Chloroform	0.10	0.29	1	ND	Pass
Ethanol	10.00	30.00	5000	ND	Pass
Ethyl-Acetate	10.00	30.00	5000	ND	Pass
Ethyl-Ether	10.00	30.00	5000	ND	Pass
Ethylene Oxide	0.08	0.24	1	ND	Pass
Heptane	10.00	30.00	5000	ND	Pass
n-Hexane	10.00	30.00	290	ND	Pass
Isopropanol	10.00	30.00	5000	ND	Pass
Methanol	10.00	30.00	3000	ND	Pass
Methylene-Chloride	0.10	0.31	1	ND	Pass
1,2-Dichloro-Ethane	0.10	0.29	1	ND	Pass
Pentane	10.00	30.00	5000	ND	Pass
Propane	10.00	30.00	5000	ND	Pass
Toluene	10.00	30.00	890	ND	Pass
Xylenes	20.00	60.00	2170	ND	Pass
Trichloroethene	0.10	0.29	1	ND	Pass

Date Tested: 08/16/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



名 Brad Kao Laboratory Supervisor | 08/17/2023



Accentation # 101411 Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.



Encore Labs 75 N Vinedo Ave. Pasadena, CA 91107

(626) 696-3086 https://encore-labs.com Lic# C8-000086-LIC

Produced: 08/14/2023

Collected: 08/15/2023

Received: 08/15/2023

Completed: 08/17/2023

Sample Size: 8 units; Batch: 995 units

Distributor

91605

TKC Group, Inc.

Lic. # C11-0001636-LIC

11447 Vanowen St.,

North Hollywood, CA,

Lic. # CDPH-10003892

North Hollywood, CA 91605

11447 Vanowen St.

Producer TKC Group inc / BANGBRAND

# Bangbar Vape Cartridge - Chiquita Banana -1g

METRC Batch: 1A406030000B66D000001258 METRC Sample: 1A4060300046B41000001573

## Sample ID: 2308ENC9118\_7808

Strain: Chiquita Banana Matrix: Concentrates & Extracts Type: Vape

Batch#: BM100014

# **Microbial Impurities**

Result	Status
Not Detected in 1g	Pass
	Not Detected in 1g Not Detected in 1g Not Detected in 1g Not Detected in 1g

Date Tested: 08/17/2023

## Heavy Metals

Method: SOP EL-HEAVYMETALS					
Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.012	0.036	0.200	ND	Pass
Cadmium	0.015	0.044	0.200	ND	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mercury	0.005	0.015	0.100	ND	Pass

Date Tested: 08/17/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Brad Kao Laboratory Supervisor | 08/17/2023



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.