Producer

## Bangbar Vape Cartridge - Panama Haze -1g

METRC Batch: 1A406030000B66D000001252 METRC Sample: 1A4060300046B41000001574

Sample ID: 2308ENC9118\_7809

ENCORE

LABS

Strain: Panama Haze

Matrix: Concentrates & Extracts

Type: Vape

Batch#: BM100008

Produced: 08/13/2023 Collected: 08/15/2023

Received: 08/15/2023

Completed: 08/17/2023 Sample Size: 8 units; Batch: 995 units

Distributor

TKC Group inc / BANGBRAND TKC Group, Inc.

Lic. # C11-0001636-LIC 11447 Vanowen St., North Hollywood, CA,

91605

Lic. # CDPH-10003892 11447 Vanowen St.

North Hollywood, CA 91605



## Summary

Test	<b>Date Tested</b>	Instr. Method	Result
Batch			Pass
Cannabinoids	08/16/2023	LC-DAD	Pass
Pesticides	08/16/2023	LC-MS	Pass
Mycotoxins	08/16/2023	LC-MS	Pass
Residual Solvents	08/16/2023	HS-GC-MS	Pass
Microbial Impurities	08/17/2023	qPCR	Pass
Heavy Metals	08/17/2023	ICP-MS	Pass
Foreign Matter	08/16/2023	Visual Inspection	Pass

### Cannabinoids

Method: SOP EL-CANNABINOIDS

89.211 %

**Total THC** 

0.311 %

Total CBD


95.927 %

**Total Cannabinoids** 

		J L	- ·	- ·	
Analytes	LOD	LOQ	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/unit
THCa	0.247	0.749	ND	ND	ND
Δ9-THC	0.265	0.802	89.211	892.11	892.11
Δ8-ΤΗС	0.292	0.886	ND	ND	ND
THCVa	0.285	0.864	ND	ND	ND
THCV	0.295	0.894	0.601	6.01	6.01 ■
CBDa	0.259	0.786	ND	ND	ND
CBD	0.250	0.757	0.311	3.11	3.11 ■
CBN	0.235	0.713	0.650	6.50	6.50 ■
CBGa	0.282	0.853	ND	ND	ND
CBG	0.260	0.787	3.231	32.31	32.31 ■
CBCa	0.230	0.695	ND	ND	ND
CBC	0.270	0.817	1.923	19.23	19.23■
Total THC			89.211	892.11	892.113
Total CBD			0.311	3.11	3.113
Total Cannabinoids			95.927	959.27	959.269
Sum of Cannabinoids			95.927	959.27	959.269

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms \* 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water ctivity Method: SOP EL-WATER







## Bangbar Vape Cartridge - Panama Haze -1g

METRC Batch: 1A406030000B66D000001252 METRC Sample: 1A4060300046B41000001574

Sample ID: 2308ENC9118\_7809

ENCORE

Strain: Panama Haze

Matrix: Concentrates & Extracts

Type: Vape

Batch#: BM100008

Produced: 08/13/2023

Collected: 08/15/2023 Received: 08/15/2023

Completed: 08/17/2023 Sample Size: 8 units; Batch: 995 units

Distributor

Producer TKC Group inc / BANGBRAND TKC Group, Inc.

Lic. # C11-0001636-LIC 11447 Vanowen St.,

North Hollywood, CA, 91605

Lic. # CDPH-10003892 11447 Vanowen St. North Hollywood, CA 91605

Pesticides

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	μg/g	μg/g	μg/g	μg/g			μg/g	μg/g	μg/g	μg/g	
Abamectin	0.005	0.02	0.10	ND	Pass	Fludioxonil	0.01	0.05	0.10	ND	Pass
Acephate	0.002	0.01	0.10	ND	Pass	Hexythiazox	0.005	0.02	0.10	ND	Pass
Acequinocyl	0.01	0.02	0.10	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	0.10	ND	Pass	Imidacloprid	0.005	0.02	5.00	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	0.10	ND	Pass
Azoxystrobin	0.005	0.02	0.10	ND	Pass	Malathion	0.02	0.05	0.50	ND	Pass
Bifenazate	0.005	0.01	0.10	<loq< td=""><td>Pass</td><td>Metalaxyl</td><td>0.002</td><td>0.005</td><td>2.00</td><td>ND</td><td>Pass</td></loq<>	Pass	Metalaxyl	0.002	0.005	2.00	ND	Pass
Bifenthrin	0.02	0.05	3.00	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	0.10	ND	Pass	Methomyl	0.01	0.02	1.00	ND	Pass
Captan	0.2	0.3	0.70	ND	Pass	Parathion Methyl	0.02	0.05	0.02	ND	Pass
Carbaryl	0.02	0.05	0.50	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Myclobutanil	0.005	0.01	0.10	ND	Pass
Chlorantraniliprole	0.002	0.01	10.00	ND	Pass	Naled	0.01	0.02	0.10	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Oxamyl	0.005	0.01	0.50	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	PCNB	0.02	0.05	0.10	ND	Pass
Clofentezine	0.01	0.02	0.10	ND	Pass	Permethrin	0.02	0.05	0.50	ND	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.10	ND	Pass
Cyfluthrin	0.05	0.1	2.00	ND	Pass	Piperonyl Butoxide	0.02	0.05	3.00	ND	Pass
Cypermethrin	0.1	0.2	1.00	ND	Pass	Prallethrin	0.005	0.02	0.10	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.10	ND	Pass
Diazinon	0.002	0.01	0.10	ND	Pass	Propoxure	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	0.50	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	0.10	ND	Pass
Dimethomorph	0.005	0.02	2.00	ND	Pass	Spinetoram	0.005	0.01	0.10	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	0.10	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	0.10	ND	Pass
Etoxazole	0.005	0.02	0.10	ND	Pass	Spirotetramat	0.005	0.01	0.10	ND	Pass
Fenhexamid	0.005	0.02	0.10	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	0.10	ND	Pass
Fenpyroximate	0.005	0.02	0.10	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	5.00	ND	Pass
Flonicamid	0.01	0.02	0.10	ND	Pass	Trifloxystrobin	0.005	0.01	0.10	ND	Pass

Date Tested: 08/16/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



**Brad Kao** Laboratory Supervisor | 08/17/2023



# Bangbar Vape Cartridge - Panama Haze -1g

METRC Batch: 1A406030000B66D000001252

METRC Sample: 1A4060300046B41000001574 Sample ID: 2308ENC9118\_7809

ENCORE

Strain: Panama Haze

Matrix: Concentrates & Extracts

Type: Vape

Batch#: BM100008

Produced: 08/13/2023

Collected: 08/15/2023

Received: 08/15/2023 Completed: 08/17/2023

Sample Size: 8 units; Batch: 995 units

Distributor

Producer

TKC Group inc / BANGBRAND TKC Group, Inc.

Lic. # C11-0001636-LIC 11447 Vanowen St.,

North Hollywood, CA,

Lic. # CDPH-10003892 11447 Vanowen St. North Hollywood, CA 91605

91605

Mycotoxins

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	μg/kg	μg/kg	μg/kg	μg/kg	
Aflatoxin B1	1.00	2.00		ND	Tested
Aflatoxin B2	1.00	2.00		ND	Tested
Aflatoxin G1	2.00	4.00		ND	Tested
Aflatoxin G2	1.00	2.00		ND	Tested
Ochratoxin A	4.00	10.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 08/16/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

### Residual Solvents

Method: EL-RES SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	μg/g	μg/g	μg/g	μg/g	_
Acetone	33.00	100.00	5000	ND	Pass
Acetonitrile	10.00	30.00	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	10.00	30.00	5000	ND	Pass
Chloroform	0.10	0.29	1	ND	Pass
Ethanol	10.00	30.00	5000	ND	Pass
Ethyl-Acetate	10.00	30.00	5000	ND	Pass
Ethyl-Ether	10.00	30.00	5000	ND	Pass
Ethylene Oxide	0.08	0.24	1	ND	Pass
Heptane	10.00	30.00	5000	ND	Pass
n-Hexane	10.00	30.00	290	ND	Pass
Isopropanol	10.00	30.00	5000	ND	Pass
Methanol	10.00	30.00	3000	ND	Pass
Methylene-Chloride	0.10	0.31	1	ND	Pass
1,2-Dichloro-Ethane	0.10	0.29	1	ND	Pass
Pentane	10.00	30.00	5000	ND	Pass
Propane	10.00	30.00	5000	ND	Pass
Toluene	10.00	30.00	890	ND	Pass
Xylenes	20.00	60.00	2170	ND	Pass
Trichloroethene	0.10	0.29	1	ND	Pass

Date Tested: 08/16/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



**Brad Kao** Laboratory Supervisor | 08/17/2023



# Bangbar Vape Cartridge - Panama Haze -1g

METRC Batch: 1A406030000B66D000001252

METRC Sample: 1A4060300046B41000001574

Sample ID: 2308ENC9118\_7809

Strain: Panama Haze Matrix: Concentrates & Extracts

Type: Vape

Batch#: BM100008

Produced: 08/13/2023

Collected: 08/15/2023

Received: 08/15/2023 Completed: 08/17/2023

Sample Size: 8 units; Batch: 995 units

Distributor

TKC Group, Inc.

Producer

TKC Group inc / BANGBRAND

Lic. # C11-0001636-LIC

11447 Vanowen St., North Hollywood, CA,

91605

Lic. # CDPH-10003892 11447 Vanowen St. North Hollywood, CA 91605

Microbial Impurities

Method: SOP EL-MICROBIALS

Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin–producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 08/17/2023

**Heavy Metals** 

Method: SOP EL-HEAVYMETALS

MELITOU. SOF LL-TILAV TIMETALS					
Analytes	LOD	LOQ	Limit	Result	Status
	μg/g	μg/g	μg/g	μg/g	<u> </u>
Arsenic	0.012	0.036	0.200	ND	Pass
Cadmium	0.015	0.044	0.200	ND	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mercury	0.005	0.015	0.100	ND	Pass

Date Tested: 08/17/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.





