

Encore Labs 75 N Vinedo Ave. Pasadena, CA 91107 (626) 696-3086 https://encore-labs.com Lic# C8-000086-LIC

Produced: 08/13/2023

Collected: 08/15/2023

Received: 08/15/2023

Completed: 08/17/2023

Sample Size: 8 units; Batch: 1,000 units

Producer TKC Group inc / BANGBRAND

Bangbar Vape Cartridge - Sweet Moby -1g

METRC Batch: 1A406030000B66D000001253 METRC Sample: 1A4060300046B41000001575

Sample ID: 2308ENC9118_7810

Strain: Sweet Moby Matrix: Concentrates & Extracts

Type: Vape

Batch#: BM100009



Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	08/16/2023	LC-DAD	Pass
Pesticides	08/16/2023	LC-MS	Pass
Mycotoxins	08/16/2023	LC-MS	Pass
Residual Solvents	08/16/2023	HS-GC-MS	Pass
Microbial Impurities	08/17/2023	qPCR	Pass
Heavy Metals	08/17/2023	ICP-MS	Pass
Foreign Matter	08/16/2023	Visual Inspection	Pass

Cannabinoids

Method: SOP EL-CANNABINOIDS

89.582 %	Ď		0.293 %			96.266 %
Total THC	,		Total CBD			Total Cannabinoids
Analytes	LOD	LOQ	Result	Result	Result	
	mg/g	mg/g	%	mg/g	mg/unit	
THCa	0.237	0.718	ND	ND	ND	
Δ9-THC	0.254	0.769	89.582	895.82	895.82	
Δ8-THC	0.280	0.850	ND	ND	ND	
THCVa	0.274	0.829	ND	ND	ND	
THCV	0.283	0.857	0.581	5.81	5.81	
CBDa	0.249	0.753	ND	ND	ND	
CBD	0.239	0.726	0.293	2.93	2.93	
CBN	0.226	0.684	0.644	6.44	6.44	
CBGa	0.270	0.818	ND	ND	ND	
CBG	0.249	0.754	3.227	32.27	32.27	
CBCa	0.220	0.667	ND	ND	ND	
CBC	0.258	0.783	1.939	19.39	19.39	
Total THC			89.582	895.82	895.824	
Total CBD			0.293	2.93	2.933	
Total Cannabinoids			96.266	962.66	962.665	
Sum of Cannabinoids			96.266	962.66	962.665	

1 Unit = 1g;

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water ctivity Method: SOP EL-WATER



客 Brad Kao Laboratory Supervisor | 08/17/2023



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Distributor

TKC Group, Inc.

Lic. # C11-0001636-LIC 11447 Vanowen St., North Hollywood, CA, 91605

Lic. # CDPH-10003892 11447 Vanowen St. North Hollywood, CA 91605



Encore Labs 75 N Vinedo Ave. Pasadena, CA 91107 (626) 696-3086 https://encore-labs.com Lic# C8-000086-LIC

Produced: 08/13/2023

Collected: 08/15/2023

Received: 08/15/2023

Completed: 08/17/2023

Sample Size: 8 units; Batch: 1,000 units

Distributor

91605

TKC Group, Inc.

Lic. # C11-0001636-LIC

11447 Vanowen St.,

North Hollywood, CA,

Bangbar Vape Cartridge - Sweet Moby -1g

METRC Batch: 1A406030000B66D000001253 METRC Sample: 1A4060300046B41000001575

Sample ID: 2308ENC9118_7810

Strain: Sweet Moby Matrix: Concentrates & Extracts Type: Vape

Batch#: BM100009

Pesticides Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.005	0.02	0.10	ND	Pass	Fludioxonil	0.01	0.05	0.10	ND	Pass
Acephate	0.002	0.01	0.10	ND	Pass	Hexythiazox	0.005	0.02	0.10	ND	Pass
Acequinocyl	0.01	0.02	0.10	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	0.10	ND	Pass	Imidacloprid	0.005	0.02	5.00	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	0.10	ND	Pass
Azoxystrobin	0.005	0.02	0.10	ND	Pass	Malathion	0.02	0.05	0.50	ND	Pass
Bifenazate	0.005	0.01	0.10	<loq< td=""><td>Pass</td><td>Metalaxyl</td><td>0.002</td><td>0.005</td><td>2.00</td><td>ND</td><td>Pass</td></loq<>	Pass	Metalaxyl	0.002	0.005	2.00	ND	Pass
Bifenthrin	0.02	0.05	3.00	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	0.10	ND	Pass	Methomyl	0.01	0.02	1.00	ND	Pass
Captan	0.2	0.3	0.70	ND	Pass	Parathion Methyl	0.02	0.05	0.02	ND	Pass
Carbaryl	0.02	0.05	0.50	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Myclobutanil	0.005	0.01	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Chlorantraniliprole	0.002	0.01	10.00	ND	Pass	Naled	0.01	0.02	0.10	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Oxamyl	0.005	0.01	0.50	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	PCNB	0.02	0.05	0.10	ND	Pass
Clofentezine	0.01	0.02	0.10	ND	Pass	Permethrin	0.02	0.05	0.50	ND	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.10	ND	Pass
Cyfluthrin	0.05	0.1	2.00	ND	Pass	Piperonyl Butoxide	0.02	0.05	3.00	ND	Pass
Cypermethrin	0.1	0.2	1.00	ND	Pass	Prallethrin	0.005	0.02	0.10	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Diazinon	0.002	0.01	0.10	ND	Pass	Propoxure	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	0.50	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	0.10	ND	Pass
Dimethomorph	0.005	0.02	2.00	ND	Pass	Spinetoram	0.005	0.01	0.10	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	0.10	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	0.10	ND	Pass
Etoxazole	0.005	0.02	0.10	ND	Pass	Spirotetramat	0.005	0.01	0.10	ND	Pass
Fenhexamid	0.005	0.02	0.10	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	0.10	ND	Pass
Fenpyroximate	0.005	0.02	0.10	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	5.00	ND	Pass
Flonicamid	0.01	0.02	0.10	ND	Pass	Trifloxystrobin	0.005	0.01	0.10	ND	Pass

Date Tested: 08/16/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



客 Brad Kao Laboratory Supervisor | 08/17/2023



TKC Group inc / BANGBRAND

Producer

Lic. # CDPH-10003892 11447 Vanowen St. North Hollywood, CA 91605

Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.



Encore Labs 75 N Vinedo Ave. Pasadena, CA 91107

(626) 696-3086 https://encore-labs.com Lic# C8-0000086-LIC

Produced: 08/13/2023

Collected: 08/15/2023

Received: 08/15/2023

Completed: 08/17/2023

Sample Size: 8 units; Batch: 1,000 units

Bangbar Vape Cartridge - Sweet Moby -1g

METRC Batch: 1A406030000B66D000001253 METRC Sample: 1A4060300046B41000001575

Sample ID: 2308ENC9118_7810

Strain: Sweet Moby Matrix: Concentrates & Extracts Type: Vape

Batch#: BM100009

Mycotoxins Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.00	2.00		ND	Tested
Aflatoxin B2	1.00	2.00		ND	Tested
Aflatoxin G1	2.00	4.00		ND	Tested
Aflatoxin G2	1.00	2.00		ND	Tested
Ochratoxin A	4.00	10.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 08/16/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: EL-RES_SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	hā\ā	µg/g	µg/g	µg/g	
Acetone	33.00	100.00	5000	ND	Pass
Acetonitrile	10.00	30.00	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	10.00	30.00	5000	ND	Pass
Chloroform	0.10	0.29	1	ND	Pass
Ethanol	10.00	30.00	5000	ND	Pass
Ethyl-Acetate	10.00	30.00	5000	40.19	Pass
Ethyl-Ether	10.00	30.00	5000	ND	Pass
Ethylene Oxide	0.08	0.24	1	ND	Pass
Heptane	10.00	30.00	5000	ND	Pass
n-Hexane	10.00	30.00	290	ND	Pass
Isopropanol	10.00	30.00	5000	ND	Pass
Methanol	10.00	30.00	3000	ND	Pass
Methylene-Chloride	0.10	0.31	1	ND	Pass
1,2-Dichloro-Ethane	0.10	0.29	1	ND	Pass
Pentane	10.00	30.00	5000	ND	Pass
Propane	10.00	30.00	5000	ND	Pass
Toluene	10.00	30.00	890	ND	Pass
Xylenes	20.00	60.00	2170	ND	Pass
Trichloroethene	0.10	0.29	1	ND	Pass

Date Tested: 08/16/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



客 Brad Kao Laboratory Supervisor | 08/17/2023



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Producer TKC Group inc / BANGBRAND

Lic. # C11-0001636-LIC 11447 Vanowen St., North Hollywood, CA, 91605

Distributor

TKC Group, Inc.

Lic. # CDPH-10003892 11447 Vanowen St. North Hollywood, CA 91605



 Encore Labs
 (626) 696-3086

 75 N Vinedo Ave.
 https://encore-labs.com

 Pasadena, CA 91107
 Lic# C8-0000086-LIC

Regulatory Compliance Testing Certificate of Analysis 4 of 4

> Producer TKC Group inc / BANGBRAND

Lic. # CDPH-10003892

North Hollywood, CA 91605

11447 Vanowen St.

Bangbar Vape Cartridge - Sweet Moby -1g

METRC Batch: 1A406030000B66D000001253 METRC Sample: 1A4060300046B41000001575

Sample ID: 2308ENC9118_7810

Strain: Sweet Moby Matrix: Concentrates & Extracts Type: Vape

Batch#: BM100009

Microbial Impurities

Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin–producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Produced: 08/13/2023

Collected: 08/15/2023

Received: 08/15/2023

Completed: 08/17/2023

Sample Size: 8 units; Batch: 1,000 units

Distributor

91605

TKC Group, Inc.

Lic. # C11-0001636-LIC

11447 Vanowen St.,

North Hollywood, CA,

Date Tested: 08/17/2023

Heavy Metals

,				
Method:	SOP	EL-HE	AVYME	TALS

MELIIOU. SOF LE-IILAV I ME IALS					
Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.012	0.036	0.200	ND	Pass
Cadmium	0.015	0.044	0.200	ND	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mercury	0.005	0.015	0.100	ND	Pass

Date Tested: 08/17/2023

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



名 Brad Kao Laboratory Supervisor | 08/17/2023



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.